**ATTENTION:** Refer to the appropriate shop manual for your vehicle to obtain specific service procedures for this part. If you do not have a service manual or lack the skill to install this part, it is recommended that you seek the services of a qualified technician. Pay special attention to all cautions and warnings included in the shop manual. Read and follow all instructions carefully.

## Ford F-150 Regular & CrewCab 2005–2008, 2004 Except Heritage

This window regulator assembly fits Ford F-150 model years inclusive from 2004 through 2008. There were window lift motor electrical polarity changes, however, in this model year range that **AFFECTED ONLY THE DRIVER SIDE OF THE VEHICLE!** 

Correct electrical polarity means the window regulator will move the window in the same direction as that indicated by the window switch (up/down).

**According to manufactured vehicle information,** the enclosed adaptor **SHOULD ONLY BE REQUIRED** if the vehicle was manufactured in the time period 2004 through August 2005.

The adaptor **SHOULD NOT BE REQUIRED** for vehicles manufactured after August 2005. If the adaptor is used when not required your window will move in the opposite direction of that indicated by the window switch (up/down).

If you are unsure of your vehicle model year or manufactured date, you can check for correct polarity before installing the new window regulator by plugging the window lift motor connector into the window switch connector and checking for proper travel direction of the window regulator.

Your part will come with either a pigtail adaptor or a butt connector adaptor. Please follow the appropriate instructions below for the adaptor included with your part.

## PRODUCT SUPPLIED WITH PIGTAIL ADAPTOR

Simply plug the adaptor into the connector already attached to the motor and to the door-side connector.



**Pigtail Adaptor** 

Disclaimer:

Even though every attempt is made to ensure this information is complete and accurate, it is impossible to account for all possible circumstances or situations. Please consult with a qualified auto technician before attempting to perform any work you are not qualified to do. Automobiles can be hazardous to work on; be sure to take all necessary safety precautions. Failure to do so may result in property damage or personal injury. Certain motor vehicle standards and performance requirements may apply to your motor vehicle (such as Federal Motor Vehicle Safety Standards by the National Highway Traffic Safety Administration). Be sure that your work is performed in accordance with such standards and that you do not disable any motor vehicle safety feature.

**ATTENTION:** Refer to the appropriate shop manual for your vehicle to obtain specific service procedures for this part. If you do not have a service manual or lack the skill to install this part, it is recommended that you seek the services of a qualified technician. Pay special attention to all cautions and warnings included in the shop manual. Read and follow all instructions carefully.

## PRODUCT SUPPLIED WITH BUTT CONNECTOR ADAPTOR

To change polarity, simply cut the wires on the new part before the connector, leaving enough wire to work with. Reconnect the wires exactly opposite the way they were, using two 16-14 gauge wire butt connectors. The window regulator is now ready to install.



Disclaimer:

Even though every attempt is made to ensure this information is complete and accurate, it is impossible to account for all possible circumstances or situations. Please consult with a qualified auto technician before attempting to perform any work you are not qualified to do. Automobiles can be hazardous to work on; be sure to take all necessary safety precautions. Failure to do so may result in property damage or personal injury. Certain motor vehicle standards and performance requirements may apply to your motor vehicle (such as Federal Motor Vehicle Safety Standards by the National Highway Traffic Safety Administration). Be sure that your work is performed in accordance with such standards and that you do not disable any motor vehicle safety feature.