


2501 Ludelle Street Fort Worth, Texas 76105 817-244-6212 Phone • 817-244-4024 Fax 888-350-6588 Sales • 800-423-9696 Tech E-mail: painless@painlessperformance.com Web: www.painlessperformance.com

## 60122 PARK/NEUTRAL RELAY INSTALLATION INSTRUCTIONS

- 1. MOUNT THE RELAY IN A CONVENIENT LOCATION UNDER THE DASH NEAR THE DRIVER SIDE.
- 2. DISCONNECT OR CUT THE START WIRE FROM THE IGNITION SWITCH, USING THE YELLOW BUTT CONNECTOR SPLICE THE SHORTER PURPLE WIRE FROM THE RELAY TO THE CUT PURPLE WIRE AT THE IGNITION SWITCH.
- 3. ROUTE THR PURPLE WIRE FROM THE RELAY TO THE "S" TERMINAL AT THE STARTER SOLENOID. TERMINATE THE PURPLE WIRE WITH THE YELLOW RING TERMINAL AND MOUNT THE PURPLE WIRE TO THE "S" TERMINAL. IF THE PURPLE WIRE IS NOT LONG ENOUGH TO REACH THE STARTER SOLENOID, USE THE YELLOW BUT CONNECTOR AND SPLICE THE PURPLE WIRE FROM THE "S" TERMINAL AT THE STARTER SOLENOID TO THE PURPLE WIRE FROM THE RELAY.
- 4. USING THE RED BUTT CONNECTOR SPLICE THE ORANGE/BLACK WIRE TO THE ORANGE/BLACK WIRE AT THE ECM (COMPUTER).
- 5. ROUTE THE BLACK WIRE FROM THE RELAY TO THE NEUTRAL/SAFTEY SWITCH AND CUT TO LENGTH. TERMINATE THE BLACK WIRE WITH THE RED FEMALE SPADE TERMINAL AND CONNECT IT TO THE NEUTRAL/SAFTEY SWITCH.
- 6. LOCATE A SOLID GROUNDING POINT NEAR THE NEUTRAL/SAFTEY SWITCH AND ATTACH THE SUPPLIED GROUND WIRE. ROUTE THE BLACK WIRE TO THE NEUTRAL/SAFTEY SWITCH AND CUT TO LENGTH. TERMINATE THE BLACK WIRE WITH A RED FEMALE SPADE TERMINAL AND CONNECT IT TO THE NEUTRAL/SAFTEY SWITCH.
- 7. TEST THE RELAY FOR PROPER OPERATION.

60122.doc 04/17/2002



## Painless Performance Limited Warranty and Return Policy

Chassis harnesses and fuel injection harnesses are covered under a lifetime warranty.

All other products manufactured and/or sold by Painless Performance are warranted to the original purchaser to be free from defects in material and workmanship under normal use. Painless Performance will repair or replace defective products without charge during the first 12 months from the purchase date. No products will be considered for warranty without a copy of the purchase receipt showing the sellers name, address and date of purchase. You must return the product to the dealer you purchased it from to initiate warranty procedures.

Copyright © 2007 by Perfect Performance Products, LLC